

Claims

1. A method for encoding knowledge, comprising the steps of:

forming a network having nodes that represent semantic concepts;

associating one or more words with one or more of the nodes;

5 associating multimedia content with one or more of the nodes; and

representing relationships between the nodes as arcs between associated words and arcs
between associated multimedia content.

2. The method of Claim 1, further comprising:

creating lexical relations between semantic concepts on the basis of one or more of: word
forms and word meaning of associated words.

3. The method of Claim 1, wherein relationships between semantic concepts and between
associated content are based at least in part on audio and/or visual feature descriptor values.

4. The method of Claim 3, further comprising:

extracting feature descriptors from multimedia content; and

15 computing similarity measures between descriptor values.

5. The method of Claim 1, wherein the media network knowledge is represented using the
ISO MPEG-7 Description Definition Language.

9. The method of Claim 6, further comprising:
forming a query comprised of audio and/or visual feature descriptor values; and
matching the query descriptor values to the descriptor values of the content encoded in
the media network knowledge representation.

5 10. A method for browsing an encoded media network knowledge representation that
comprises a network having nodes that represent semantic concepts, one or more words and
multimedia associated with the one or more nodes, and wherein relationships between the nodes
are represented as arcs between associated words and arcs between associated multimedia
content, the method comprising the steps of:

displaying one or more concept nodes and associated words and/or multimedia content;
and
providing means for allowing a user to select related concepts for viewing.

11. The method of Claim 10, further comprising:

providing means for allowing the user to select concept nodes and associated words
15 and/or multimedia content for display on the basis of specific types or values of relations to a
particular concept node or associated word or multimedia content.

12. A method for summarizing an encoded media network knowledge representation that
comprises a network having nodes that represent semantic concepts, one or more words and
multimedia associated with the one or more nodes, and wherein relationships between the nodes

are represented as arcs between associated words and arcs between associated multimedia content, the method comprising the steps of:

extracting a subset of nodes, relations, and words and/or multimedia content from an encoded media network knowledge representation.

- 5 13. The method of Claim 12, further comprising:
consolidating together concept nodes, relations, words, and/or multimedia content.

14. A method for updating an encoded media network knowledge representation that comprises a network having nodes that represent semantic concepts, one or more words and multimedia associated with the one or more nodes, and wherein relationships between the nodes are represented as arcs between associated words and arcs between associated multimedia content, the method comprising the steps of:

adding, deleting or modifying concepts, relations, or associated words, multimedia content, or descriptors in the encoded media network knowledge representation.

15. A method for querying a multimedia information repository associated with an encoded media network knowledge representation that comprises an encoded network having nodes that represent semantic concepts, one or more words and multimedia associated with the one or more nodes, and wherein relationships between the nodes are represented as arcs between associated words and arcs between associated multimedia content, the method comprising the steps of:
searching the encoded media network knowledge representation;

retrieving words, content, and/or descriptors from the media network knowledge representation; and

searching the information repository using the retrieved words, content, and/or descriptors.

5 16. A method for personalizing multimedia information in a system comprising an encoded media network knowledge representation that includes an encoded network having nodes that represent semantic concepts, one or more words and multimedia associated with the one or more nodes, and wherein relationships between the nodes are represented as arcs between associated words and arcs between associated multimedia content, the method comprising the steps of:

describing the multimedia information using words or descriptors;

describing user preferences using words, multimedia content, and/or descriptors;

matching the user preferences with the descriptions of the multimedia information; and

extracting, retrieving, and/or summarizing the matched multimedia items.

17. A system for encoding knowledge, comprising:

15 means for forming a network having logical nodes that represent semantic concepts;

means for associating one or more words with one or more of the nodes;

means for associating multimedia content with one or more of the nodes; and

means for representing relationships between the nodes as arcs between associated words and arcs between associated multimedia content.

18. The system of claim 17, further comprising means for searching the knowledge encoded in the network.

19. The system of claim 17, further comprising means for browsing the knowledge encoded in the network.

20. The system of claim 17, further comprising means for updating the knowledge encoded in the network.

21. The system of claim 17, further comprising means for summarizing the knowledge encoded in the network.

22. The system of claim 17, further comprising means for querying a multimedia information repository associated with the knowledge encoded in the network.

23. The system of claim 17, further comprising means for personalizing the knowledge encoded in the network for a particular user.

24. A computer program product in a computer readable medium for use for encoding knowledge, the computer program product comprising:

first instructions for forming a network having logical nodes that represent semantic concepts;

second instructions for associating one or more words with one or more of the nodes;

third instructions for associating multimedia content with one or more of the nodes; and

fourth instructions for representing relationships between the nodes as arcs between associated words and arcs between associated multimedia content .

FOOT " 86620001